



Texas Commission on Environmental Quality (TCEQ) One-Time Shipment Request for Texas Waste Code For Shipment of Hazardous and Class 1 Waste

Pursuant to the generator notification requirements of 30 Texas Administrative Code (TAC) Section 335.6, the generator of a solid waste is required to submit to TCEQ detailed written information pertaining to the composition and characteristics of the waste. Please complete all applicable sections. Incomplete forms will delay processing. Assigned waste codes cannot be changed without prior approval from TCEQ.

Generator Contact Person:	
Generator Company Name:	
Generator Mailing Address:	
Generator Phone No.: ()	Generator Fax No.: ()
Texas Solid Waste Registration (SWR) No. <i>(Only If Registered)</i>	U.S. EPA Identification No.
Generating Site Location: (check if same as above) <input type="checkbox"/> Must be street address or physical description including zip code)	
Designated Treatment, Storage, and/or Disposal Facility name and address:	

*Only fill out System Type Code if you selected Source Code G25.

Description of Waste (Do Not Use DOT description or Trade name)	Form Code	Class Code	Origin Code	Source Code	System Type Code*	EPA Waste Code
1.						
Texas Waste Code: (Assigned by TCEQ)						
2.						
Texas Waste Code: (Assigned by TCEQ)						

Generator/Representative

I certify that the above information is complete and accurate to the best of my knowledge.

Signature _____

Date _____

Company Name: <i>(If different than generator)</i>	
Company Mailing Address:	
Company Phone No.: ()	Company Fax No.: ()

Processed Date:	Processed By:	TCEQ Region:
-----------------	---------------	--------------

If you have questions on how to fill out this form or about the One-Time Shipment program, please contact us at 512/239-6413.

Individuals are entitled to request and review their personal information that the agency gathers on its forms. They may also have any errors in their information corrected. To review such information, contact us at 512/239-3282.

TCEQ-0757 (Rev. 05/10/2007)

INSTRUCTIONS for TCEQ Form 0757

Non-industrial non-hazardous generators should not use this form.

This form may NOT be used to add a waste to an active Texas generator's registration.

You may mail or fax this form to us. If a fax is sent, no hard copy is required.

Mail to: Texas Commission on Environmental Quality, Permitting and Remediation Support Division, Registration and Reporting Section, PO Box 13087 MC 129, Austin, Texas 78711-3087

Fax: 512-239-6410 Phone: 512-239-6413

FORM CODE: Texas Form Codes

LAB PACKS—Lab packs of mixed wastes, chemicals, lab wastes

Code	Waste Description
------	-------------------

001	Lab pack of old chemicals only
002	Lab pack of debris only
003	Mixed lab packs
004	Lab pack containing acute hazardous wastes
009	Other lab pack (Specify in Comments)

LIQUIDS—Inorganic and organic liquids

Inorganic Liquids: Waste that is primarily inorganic and highly fluid (e.g., aqueous), with low suspended inorganic solids and low organic content

Code	Waste Description
------	-------------------

101	Aqueous waste with low solvents
102	Aqueous waste with low other toxic organic
103	Spent acid with metals
104	Spent acid without metals
105	Acidic aqueous waste
106	Caustic solution with metals but no cyanides
107	Caustic solution with metals and cyanides
108	Caustic solution with cyanides but no metals
109	Spent caustic
110	Caustic aqueous waste
111	Aqueous waste with reactive sulfides
112	Aqueous waste with other reactive (e.g., explosives)
113	Other aqueous waste with high dissolved solids
114	Other aqueous waste with low dissolved solids
115	Scrubber water
116	Leachate
117	Waste liquid mercury
119	Other inorganic liquids (Specify in Comments)
198	Nonhazardous photographic chemical wastes (inorganic)
199	Brine solution that could also bear the form code 113

Organic Liquids: Waste that is primarily organic and is highly fluid, with low inorganic solids content and low-to-moderate water content

Code	Waste Description
------	-------------------

201	Concentrated solvent-water solution
202	Halogenated (e.g., chlorinated) solvent
203	Nonhalogenated solvent
204	Halogenated/nonhalogenated solvent mixture
205	Oil-water emulsion or mixture
206	Waste oil
207	Concentrated aqueous solution of other organic
208	Concentrated phenolics
209	Organic paint, ink, lacquer, or varnish
210	Adhesives or epoxies
211	Paint thinner or petroleum distillates
212	Reactive or polymerizable organic liquids
219	Other organic liquids (specify in Comments)
296	Ethylene glycol based antifreeze
297	Nonhazardous liquids containing greater than or equal to (\geq) 50 and less than ($<$) 500 ppm PCBs
298	Nonhazardous liquids containing greater than or equal to (\geq) 500 ppm PCBs
299	Nonhazardous photographic chemical waste (organic)

Instructions for TCEQ Form 0757

Page 2

SOLIDS—Inorganic or organic solids

Inorganic Solids: Waste that is primarily inorganic and solid, with low organic content and low-to-moderate water content; not pumpable

Code	Waste Description
301	Soil contaminated with organic
302	Soil contaminated with inorganics only
303	Ash, slag, or other residue from incineration of wastes
304	Other "dry" ash, slag, or thermal residue
305	"Dry" lime or metal hydroxide solids, chemically "fixed"
306	"Dry" lime or metal hydroxide solids, not "fixed"
307	Metal scale, filings, or scrap
308	Empty or crushed metal drums or containers
309	Batteries or battery parts, casings, cores
310	Spent solid filters or absorbents
311	Asbestos solids and debris
312	Metal-cyanide salts/chemicals
313	Reactive cyanide salts/chemicals
314	Reactive sulfide salts/chemicals
315	Other reactive salts/chemicals
316	Other metal salts/chemicals
319	Other waste inorganic solids (specify in Comments)
388	Empty or crushed glass containers
389	Nonhazardous sandblasting waste
390	Nonhazardous concrete/cement/construction debris
391	Nonhazardous dewatered wastewater treatment sludge
392	Nonhazardous dewatered air pollution control device sludge
393	Catalyst waste
394	Nonhazardous solids containing greater than or equal to (\geq) 50 ppm and less than ($<$) 500 ppm PCBs
395	Nonhazardous solids containing greater than or equal to (\geq) 500 ppm PCBs
396	Nonhazardous electrical equipment/devices containing greater than or equal to (\geq) 50 ppm and less than ($<$) 500 ppm PCBs
397	Nonhazardous electric equipment/devices containing greater than or equal to (\geq) 500 ppm PCBs
398	Nonhazardous soils containing greater than or equal to (\geq) 50 ppm or less than ($<$) 500 ppm PCBs
399	Nonhazardous soils containing greater than or equal to (\geq) 500 ppm PCBs

Organic Solid: Waste that is primarily organic and solid, with low-to-moderate inorganic content and water content; not pumpable

Code	Waste Description
401	Halogenated pesticide solid
402	Nonhalogenated pesticide solid
403	Solids resins or polymerized organic
404	Spent carbon
405	Reactive organic solid
406	Empty fiber or plastic containers
407	Other halogenated organic solids (specify in Comments)
409	Other nonhalogenated organic solids (specify in Comments)
488	Wood debris
489	Petroleum contaminated solids
490	Sandblasting waste
491	Dewatered biological treatment sludge
492	Dewatered sewage or other untreated biological sludge
493	Catalyst waste
494	Solids containing greater than or equal to (\geq) 50 ppm and less than ($<$) 500 ppm PCBs
495	Solids containing greater than or equal to (\geq) 500 ppm PCBs
496	Electrical equipment/devices containing greater than or equal to (\geq) 50 ppm and less than ($<$) 500 ppm PCBs
497	Electrical equipment/devices containing greater than or equal to (\geq) 500 ppm PCBs
498	Soils containing greater than or equal to (\geq) 50 ppm and less than ($<$) 500 ppm PCBs
499	Soils containing greater than or equal to (\geq) 500 ppm PCBs

SLUDGE—Inorganic or organic sludge

Inorganic Sludge: Waste that is primarily inorganic, with moderate-to-high water content and low organic content and pumpable

Code	Waste Description
501	Lime sludge without metals
502	Lime sludge with metals/metal hydroxide sludge
503	Wastewater treatment sludge with toxic organic
504	Other wastewater treatment sludge
505	Untreated plating sludge without cyanides
506	Untreated plating sludge with cyanides

Code	Waste Description
507	Other sludge with cyanides
508	Sludge with reactive sulfides
509	Sludge with other reactive
510	Degreasing sludge with metal scale or filings
511	Air pollution control device sludge (e.g., fly ash, wet scrubber sludge)
512	Sediment or lagoon dragout contaminated with organic
513	Sediment or lagoon dragout contaminated with inorganics only
514	Drilling mud
515	Asbestos slurry or sludge
516	Chloride or other brine sludge
519	Other inorganic sludge (specify in Comments)
597	Catalyst waste
598	Nonhazardous sludge containing greater than or equal to (\geq) 50 ppm and less than ($<$) 500 ppm PCBs
599	Nonhazardous sludge containing greater than or equal to (\geq) 500 ppm PCBs

Organic Sludge: Waste that is primarily organic with low-to-moderate inorganic solids content and water content, and pumpable

Code	Waste Description
601	Still bottoms of halogenated (e.g., chlorinated) solvents or other organic liquids
602	Still bottoms of nonhalogenated solvents or other organic liquids
603	Oily sludge
604	Organic paint or ink sludge
605	Reactive or polymerizable organic
606	Resins, tars, or tarry sludge
607	Biological treatment sludge
608	Sewage or other untreated biological sludge
609	Other organic sludge (specify in Comments)
695	Petroleum-contaminated sludge other than still bottoms and oily sludge
696	Grease
697	Catalyst waste
698	Nonhazardous sludge containing greater than or equal to (\geq) 50 ppm and less than ($<$) 500 ppm PCBs
699	Nonhazardous sludge containing greater than or equal to (\geq) 500 ppm PCBs

GAS—Inorganic or organic gases

Inorganic Gas: Waste that is primarily inorganic with a low organic content and is a gas at atmospheric pressure

Code	Waste Description
701	Inorganic gas

Organic Gas: Waste that is primarily organic with low-to-moderate inorganic content and is a gas at atmospheric pressure

Code	Waste Description
801	Organic gas

PLANT REFUSE

- Note:** In order to be considered for one of these two plant refuse designations, a waste must pass **both** of these two tests:
- The waste must be a Class 2 waste.** This means that a proper classification determination must be performed for each item that a facility is considering as one of the plant refuse designations. A waste cannot “become” Class 2 solely because it has been designated as a plant refuse waste. Hazardous and Class 1 wastes are not eligible for designation as one of the plant refuses.
 - The waste must meet the definition of the selected plant refuse term.**

Code	Waste Description
902	Supplemental plant production refuse—Class 2 waste from production, manufacturing, or laboratory operations. The total amount of the supplemental plant production refuse must not exceed 20 percent of the annual average of the total plant refuse (form code 999) volume or weight, whichever is less.
999	Plant trash—Class 2 waste that originates in the facility offices or plant production area, is composed of paper, cardboard, linings, wrappings, paper and/or wooden packaging materials, food wastes, cafeteria waste, glass, aluminum foil, aluminum cans, aluminum scrap, stainless steel, steel, iron scrap, plastics, Styrofoam, rope, twine, uncontaminated rubber, uncontaminated wooden materials, equipment belts, wiring, uncontaminated cloth, metal bindings, empty containers with a holding capacity of five gallons or less, uncontaminated floor sweepings, and/or food packaging, and is produced as a result of plant production, manufacturing, laboratory, general office, cafeteria, or food services operations. Includes personal cosmetics generated by facility personnel, but not cosmetics generated as a result of manufacturing or plant production operations.

Instructions for TCEQ Form 0757

Page 4

CLASS CODES: Make a hazardous waste determination by using:

“H” for hazardous

“1” for Class 1 non-hazardous

ORIGIN CODES: Review the origin codes below and select the code that best indicates the process or type of activity that generated this waste stream.

CODE NUMBER	PROCESS/ACTIVITY
1	Generated on-site from a product process or service activity.
2	Spill clean-up, equipment decommissioning, or emergency removal by company.
3	Derived from the on-site management of a non-hazardous waste.
4	Waste received from off-site and not recycled or treated on-site.
5	Residual from on-site treatment, disposal or recycling of hazardous waste.
6	State, federal or locally funded cleanup.
7	Corrective action or closure.

SOURCE CODES: Select the source code that best describes the production, service, or waste management process associated with the generation of this waste.

Code	Description
G01	Dip, flush or spray rinsing
G02	Stripping and acid or caustic cleaning
G03	Plating and phosphating
G04	Etching
G05	Metal forming and treatment (pickling, heat treating, etc.)
G06	Painting and coating
G07	Product and by-product processing
G08	Removal of spent process liquids or catalysts
G09	Other production or service-related processes
G11	Discarding off-specification or out-of-date chemicals or products
G13	Cleaning out process equipment
G14	Removal of tank sludge, sediments or slag
G15	Process equipment change-out or discontinuation of equipment
G16	Oil changes and filter or battery replacement
G19	Other one-time or intermittent processes
G21	Air pollution control devices (baghouse dust, etc.)
G22	Laboratory analytical wastes (used chemicals)
G23	Wastewater treatment (sludge, filter cake, etc.)
G24	Solvent or product distillation recovery (sludge, waste)
G25	Hazardous waste management
G26	Storage and disposal unit leachate collection
G32	Cleanup of spill residues
G33	Leak collection and floor sweeping
G41	Closure of hazardous waste management unit under RCRA
G42	Corrective action at a solid waste management unit under RCRA
G43	Remedial action or emergency response under Superfund
G44	State program or voluntary cleanup
G45	Underground storage tank cleanup
G49	Other remediation

SYSTEM TYPE CODES: The system type code describes how the waste is managed.

Code	Description
H010	Metals recovery including retorting, smelting, chemical, etc.
H020	Solvents recovery
H039	Other recovery or reclamation for reuse including acid regeneration recovery, etc.
H040	Incineration - thermal destruction other than use as a fuel

Instructions for TCEQ Form 0757

Page 5

Code	Description
H050	Energy recovery at this site - use as fuel includes on-site fuel blending
H061	Fuel blending prior to energy recovery at another site
H071	Chemical reduction with or without precipitation
H073	Cyanide destruction with or without precipitation
H075	Chemical oxidation
H076	Wet air oxidation
H077	Other chemical precipitation with or without pre-treatment
H081	Biological treatment with or without precipitation
H082	Adsorption (as the major component of treatment)
H083	Air or steam stripping
H101	Sludge treatment
H103	Absorption (as the major component of treatment)
H111	Stabilization or chemical fixation prior to disposal at another site
H112	Macro-encapsulation prior to disposal at another site
H121	Neutralization only
H122	Evaporation
H123	Settling or clarification
H124	Phase separation
H129	Other treatment
H131	Land treatment or application (to include on-site treatment and/or stabilization)
H132	Landfill or surface impoundment that will be closed as landfill (to include on-site treatment and/or stabilization)
H134	Deepwell or underground injection (with or without treatment)
H135	Discharge to sewer/POTW or NPDES (with prior storage - with or without treatment)
H141	Storage, bulking, and/or transfer off-site - no treatment/recovery, fuel blending, or disposal at this site

EPA WASTE CODE: For EPA hazardous waste number, please reference 40 Code of Federal Regulations (CFR) Part 261, Subpart C. If the waste is non-hazardous, leave blank.

Reasons for expediting one-time shipment (OTS) forms:

All reasons must be submitted in writing with this form.

- Endangerment to human health or the environment.
- Under a governmental order (i.e., Federal, State, County, etc.); copy of the order is required.
- Financial duress: If results are not received within a specific time, the company will suffer temporary/permanent close of business, bankruptcy, layoff of personnel, etc.

Conditionally Exempt Small Quantity Generator (CESQG): a non-industrial generator who generates less than 100 kilograms (26 ½ gal. or 220 lbs.) of hazardous waste and less than 1 kilogram (about 1 quart) of acutely hazardous waste in any calendar month (30 Texas Administrative Code (TAC) 335.78). These generators are not regulated by TCEQ. The following codes should be assigned:

Solid Waste Registration Number – CESQG

EPA Identification Number – TXCESQG

Sequence Number – CESQ + form code + class code